

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

**CULTIVATED CORN FOR GRAIN**

| <u>Previous Crop Was:</u>        |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |     |     |     |     |     |     |     |     |     |  |
|----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Alfalfa                          | .16 | .15 | .13 |     |     |     |     | .13 |     |     | .09 | .08 | .06 |     |  |     |     |     |     | .02 | .02 |     |     |     |  |
| Corn-125 bu                      | .20 |     | .15 | .12 | .10 | .08 | .07 | .19 |     | .13 | .11 | .09 | .08 | .06 |  | .09 |     |     |     | .04 | .03 | .03 | .02 |     |  |
| Corn Silage-16 T                 | .31 | .29 | .24 |     |     |     |     | .31 | .28 | .23 |     |     |     |     |  |     | .16 | .13 |     |     |     |     |     |     |  |
| Fallow                           |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |     |     |     |     |     |     |     |     |     |  |
| Forage Sorghum                   | .31 | .27 | .22 |     |     |     |     | .31 | .29 | .23 |     |     |     |     |  |     | .16 | .13 |     |     |     |     |     |     |  |
| Grain Sorghum-90 bu              | .21 |     | .16 | .13 | .11 | .09 |     | .20 |     | .14 | .12 | .10 | .09 | .08 |  |     |     |     | .06 | .05 | .04 | .03 |     |     |  |
| Oats-70 bu                       | .27 |     | .19 | .15 | .12 |     |     | .24 |     | .14 | .11 | .09 |     |     |  |     |     |     |     |     |     |     |     |     |  |
| Soybeans NRw <sup>1</sup> -45 bu |     | .26 | .22 |     |     |     |     |     | .25 | .21 |     |     |     |     |  |     |     | .10 | .08 | .07 |     |     |     |     |  |
| Soybeans WRw <sup>2</sup> -45 bu | .30 | .27 | .23 |     |     |     |     | .28 | .26 | .22 | .18 |     |     |     |  | .20 |     | .11 | .09 | .07 | .05 | .04 |     |     |  |
| Sunflowers-2,400 lbs             | .24 | .21 | .17 |     |     |     |     | .23 | .19 | .16 |     |     |     |     |  |     | .10 | .08 | .07 |     |     |     |     |     |  |
| Winter Wheat-50 bu               | .23 |     | .17 | .13 | .10 |     |     | .20 |     |     |     | .09 | .08 | .06 |  |     |     |     |     |     |     | .04 | .03 | .02 |  |

Note : 1. NRw = Narrow Row planting

2. WRw = Wide Row planting

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

**CULTIVATED CORN SILAGE**

| <u><b>Previous Crop Was:</b></u> |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
|----------------------------------|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|-----|-----|-----|-----|--|--|
| Alfalfa                          |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Corn-125 bu                      | .26 |     | .17 | .14 | .11 |  |  | .21 |     |     | .13 | .11 | .09 |     |  |  |  |  | .05 | .04 | .03 | .03 |  |  |
| Corn Silage-16 T                 |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Fallow                           |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Forage Sorghum                   |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Grain Sorghum-90 bu              |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Oats-70 bu                       |     |     |     | .17 | .13 |  |  | .27 |     |     |     | .16 | .13 | .10 |  |  |  |  |     | .06 | .05 | .04 |  |  |
| Soybeans NRw-45 bu               |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Soybeans WRw-45 bu               | .38 | .35 | .31 |     |     |  |  | .36 | .32 | .29 |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Sunflowers-2,400 lbs             |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Winter Wheat-50 bu               |     |     |     |     |     |  |  |     |     |     |     |     |     |     |  |  |  |  |     |     |     |     |  |  |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

**CULTIVATED FALLOW**

| <u>Previous Crop Was:</u> |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Alfalfa                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Corn-125 bu               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Corn Silage-16 T          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Fallow                    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Forage Sorghum            |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Grain Sorghum-90 bu       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Oats-70 bu                |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Soybeans NRw-45 bu        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Soybeans WRw-45 bu        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Sunflowers-2,400 lbs      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Winter Wheat-50 bu        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 | 60 |                   | 10                     | 20 | 30 | 40 | 50 | 60 | 70 | 80 |

Crop to be Planted:

**CULTIVATED FORAGE SORGHUM**

| <u>Previous Crop Was:</u> |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
|---------------------------|-----|--|-----|-----|-----|--|--|-----|--|--|-----|-----|-----|--|--|--|--|--|-----|-----|-----|-----|--|--|
| Alfalfa                   |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Corn-125 bu               | .26 |  | .21 | .17 | .13 |  |  | .25 |  |  | .13 | .11 | .08 |  |  |  |  |  | .05 | .04 | .03 | .03 |  |  |
| Corn Silage-16 T          |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Fallow                    |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Forage Sorghum            |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Grain Sorghum-90 bu       |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Oats-70 bu                |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Soybeans NRw-45 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Soybeans WRw-45 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Sunflowers-2,400 lbs      |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |
| Winter Wheat-50 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |  |  |  |  |  |     |     |     |     |  |  |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

**CULTIVATED GRAIN SORGHUM**

| <u>Previous Crop Was:</u> |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
|---------------------------|-----|--|-----|-----|-----|--|--|-----|--|--|-----|-----|-----|-----|--|--|--|--|-----|-----|-----|-----|--|--|
| Alfalfa                   |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Corn-125 bu               | .22 |  | .16 | .13 | .10 |  |  | .21 |  |  | .12 | .10 | .08 | .06 |  |  |  |  | .04 | .03 | .03 | .02 |  |  |
| Corn Silage-16 T          |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Fallow                    |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Forage Sorghum            |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Grain Sorghum-90 bu       |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Oats-70 bu                |     |  | .16 | .13 | .10 |  |  | .22 |  |  |     |     |     |     |  |  |  |  |     | .04 | .04 | .03 |  |  |
| Soybeans NRw-45 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Soybeans WRw-45 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Sunflowers-2,400 lbs      |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |
| Winter Wheat-50 bu        |     |  |     |     |     |  |  |     |  |  |     |     |     |     |  |  |  |  |     |     |     |     |  |  |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 | 60 |                   | 10                     | 20 | 30 | 40 | 50 | 60 | 70 | 80 |

Crop to be Planted:

OATS

| <u>Previous Crop Was:</u> |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |
|---------------------------|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|--|--|-----|-----|-----|
| Alfalfa                   |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |
| Corn-125 bu               | .08 |     |     | .04 | .03 | .03 |  | .07 |     |     |     | .03 | .02 | .02 |  |  |     |     |     |  |  |     |     |     |
| Corn Silage-16 T          | .11 | .10 | .08 |     |     |     |  | .11 | .10 | .07 |     |     |     |     |  |  | .05 | .04 | .03 |  |  |     |     |     |
| Fallow                    |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |
| Forage Sorghum            |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |
| Grain Sorghum-90 bu       | .05 |     |     | .03 | .02 |     |  | .05 |     |     |     |     |     |     |  |  |     |     |     |  |  |     | .01 | .01 |
| Oats-70 bu                | .06 |     |     |     |     |     |  | .06 |     |     |     | .03 | .02 | .02 |  |  |     |     |     |  |  |     |     | .01 |
| Soybeans NRw-45 bu        |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |
| Soybeans WRw-45 bu        | .08 | .07 | .06 |     |     |     |  | .07 |     | .05 | .04 |     |     |     |  |  |     |     |     |  |  | .01 | .01 | .01 |
| Sunflowers-2,400 lbs      | .06 |     |     | .03 | .02 |     |  | .05 |     |     | .03 | .02 | .02 |     |  |  |     |     |     |  |  | .01 | .01 |     |
| Winter Wheat-50 bu        |     |     |     |     |     |     |  |     |     |     |     |     |     |     |  |  |     |     |     |  |  |     |     |     |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |  |    |    | Spring Tillage         |   |    |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|--|----|----|------------------------|---|----|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |  |    |    | % Cover after Planting |   |    |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 |  | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 | 60 |                   | 10                     | 20 | 30 | 40 | 50 | 60 | 70 | 80 |

Crop to be Planted:

**CULTIVATED SOYBEANS, Narrow Row**

| <u>Previous Crop Was:</u> |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
|---------------------------|--|--|-----|-----|-----|--|-----|--|--|--|--|-----|-----|-----|-----|--|--|--|--|--|--|-----|-----|-----|-----|
| Alfalfa                   |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Corn-125 bu               |  |  | .14 | .11 | .09 |  | .07 |  |  |  |  | .10 | .08 | .06 | .05 |  |  |  |  |  |  | .05 | .04 | .02 | .01 |
| Corn Silage-16 T          |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Fallow                    |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Forage Sorghum            |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Grain Sorghum-90 bu       |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Oats-70 bu                |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Soybeans NRw-45 bu        |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Soybeans WRw-45 bu        |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Sunflowers-2,400 lbs      |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |
| Winter Wheat-50 bu        |  |  |     |     |     |  |     |  |  |  |  |     |     |     |     |  |  |  |  |  |  |     |     |     |     |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 | 60 |                   | 10                     | 20 | 30 | 40 | 50 | 60 | 70 | 80 |

Crop to be Planted:

**CULTIVATED SOYBEANS, Wide Row**

| <u>Previous Crop Was:</u> |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|--|-----|-----|--|--|-----|-----|-----|-----|-----|
| Alfalfa                   |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
| Corn-125 bu               | .24 |     | .18 | .15 | .12 | .10 | .08 | .23 |  |     | .13 | .11 | .09 | .07 |  | .08 |     |  |  |     |     | .03 | .03 | .02 |
| Corn Silage-16 T          | .39 |     |     |     |     |     |     | .38 |  |     |     |     |     |     |  |     | .21 |  |  |     |     |     |     |     |
| Fallow                    |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
| Forage Sorghum            |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
| Grain Sorghum-90 bu       |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
| Oats-70 bu                | .27 |     |     | .14 | .11 |     |     | .23 |  |     |     | .10 | .08 |     |  |     |     |  |  |     |     |     | .02 | .02 |
| Soybeans NRw-45 bu        |     | .22 | .19 |     |     |     |     |     |  | .17 |     |     |     |     |  |     |     |  |  | .06 | .05 |     |     |     |
| Soybeans WRw-45 bu        | .33 | .30 | .25 |     |     |     |     | .31 |  | .24 |     |     |     |     |  |     |     |  |  | .07 |     |     | .02 | .01 |
| Sunflowers-2,400 lbs      |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |
| Winter Wheat-50 bu        |     |     |     |     |     |     |     |     |  |     |     |     |     |     |  |     |     |  |  |     |     |     |     |     |



**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

**CULTIVATED SUNFLOWERS**

| <u>Previous Crop Was:</u> |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
|---------------------------|-----|--|-----|-----|-----|--|--|-----|--|-----|-----|-----|-----|--|--|--|--|--|-----|-----|-----|-----|--|--|--|--|
| Alfalfa                   |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Corn-125 bu               | .29 |  | .20 | .16 | .12 |  |  | .28 |  | .18 | .15 | .12 | .10 |  |  |  |  |  | .05 | .04 | .04 |     |  |  |  |  |
| Corn Silage-16 T          |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Fallow                    |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Forage Sorghum            |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Grain Sorghum-90 bu       |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Oats-70 bu                | .31 |  | .20 | .15 |     |  |  | .27 |  |     | .14 | .11 | .09 |  |  |  |  |  | .06 | .05 | .04 | .03 |  |  |  |  |
| Soybeans NRw-45 bu        |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Soybeans WRw-45 bu        |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Sunflowers-2,400 lbs      |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |
| Winter Wheat-50 bu        |     |  |     |     |     |  |  |     |  |     |     |     |     |  |  |  |  |  |     |     |     |     |  |  |  |  |

**TABLE 3: C" FACTORS FOR CROPLAND (SINGLE YEAR) EI AREA 87C  
HIGH YIELDS**

| Crop<br><br>Sequence | Fall Tillage           |   |    |    |    |    |    | Spring Tillage         |   |    |    |    |    |    | Ridge<br><br>Till | No-Till                |    |    |    |    |    |    |    |
|----------------------|------------------------|---|----|----|----|----|----|------------------------|---|----|----|----|----|----|-------------------|------------------------|----|----|----|----|----|----|----|
|                      | % Cover after Planting |   |    |    |    |    |    | % Cover after Planting |   |    |    |    |    |    |                   | % Cover after Planting |    |    |    |    |    |    |    |
|                      | FP                     | 0 | 10 | 20 | 30 | 40 | 50 | SP                     | 0 | 10 | 20 | 30 | 40 | 50 |                   | 60                     | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Crop to be Planted:

WINTER WHEAT

| <u>Previous Crop Was:</u> |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
|---------------------------|-----|--|--|--|--|-----|-----|-----|-----|--|--|--|-----|-----|-----|--|--|-----|-----|--|--|--|--|-----|
| Alfalfa                   |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Corn-125 bu               | .03 |  |  |  |  | .04 | .04 | .03 | .06 |  |  |  | .02 | .01 | .01 |  |  |     |     |  |  |  |  | .01 |
| Corn Silage-16 T          |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Fallow                    |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Forage Sorghum            |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Grain Sorghum-90 bu       |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Oats-70 bu                |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Soybeans NRw-45 bu        |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Soybeans WRw-45 bu        |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  | .03 | .02 |  |  |  |  |     |
| Sunflowers-2,400 lbs      |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |
| Winter Wheat-50 bu        |     |  |  |  |  |     |     |     |     |  |  |  |     |     |     |  |  |     |     |  |  |  |  |     |